

What is claimed is:

1. A computer-implemented method for processing a transaction in an enterprise environment, the computer-implemented method comprising:
receiving a request to start the transaction;
5 storing information which indicates that the request to start the transaction was received;
accessing a first resource manager associated with the transaction;
initiating the transaction as a local transaction on the first resource manager;
and
10 completing the transaction.
2. A computer-implemented method as recited in claim 1 wherein completing the transaction includes using a local transaction mechanism of the first resource manager.
- 15 3. A computer-implemented method as recited in claim 1 further including:
initiating a global transaction after initiating the transaction as the local transaction; and
completing both the local transaction and the global transaction substantially
20 atomically using a last resource 2-phase commit optimization.
4. A computer-implemented method as recited in claim 3 wherein completing both the local transaction and the global transaction substantially atomically includes using the local transaction as a last resource in the last resource 2-phase commit
25 optimization.
5. A computer-implemented method as recited in claim 3 further including lazily determining whether to initiate the global transaction.
- 30 6. A computer-implemented method as recited in claim 1 wherein the enterprise environment is a Java 2 Enterprise Environment, and receiving the request to start the transaction includes receiving the request from a component associated with the Java 2 Enterprise Environment.

7. A computer-implemented method for implementing connections in an enterprise environment, the computer-implemented method comprising:
- receiving a first request for a first connection between a component and a resource;
- providing the first connection between the component and the resource;
- receiving a second request for a connection associated with the component;
- determining whether the first connection is sharable;
- providing the first connection in response to the second request when it is determined that the first connection is sharable; and
- providing a second connection in response to the second request when it is determined that the first connection is not sharable.
8. A computer-implemented method as recited in claim 7 further including:
- receiving a subsequent request for a subsequent connection associated with the component;
- determining whether the first connection is sharable; and
- providing the first connection in response to the subsequent request when it is determined that the first connection is sharable.
9. A computer-implemented method as recited in claim 8 further including:
- determining whether the second connection is sharable; and
- providing the second connection in response to the subsequent request when it is determined that the second connection is sharable.
10. A computer-implemented method as recited in claim 9 further including:
- providing a distinct connection in response to the subsequent request when it is determined that the first connection and the second connection are not sharable.
11. A computer-implemented method as recited in claim 9 further including:
- providing a sharable connection in response to the subsequent request when it is determined that a sharable connection is available.

12. A computer-implemented method as recited in claim 8 further including:
providing a distinct connection in response to the subsequent request when it
is determined that the first connection is not sharable.
13. A computer-implemented method as recited in claim 7 further including:
receiving a deployment hint from an application, the application being
arranged to substantially communicate with the component, wherein the deployment
hint is arranged to indicate whether at least one connection is sharable.
14. A computer-implemented method as recited in claim 13 wherein the
deployment hint is further arranged to indicate whether the at least one connection is
unsharable.
15. A computer-implemented method as recited in claim 13 wherein determining
whether the first connection is sharable includes using the deployment hint.
16. A computer-implemented method for processing a transaction in an enterprise
environment, the computer-implemented method comprising:
receiving a request to start the transaction, the request being received from a
component;
storing information which indicates that the request to start the transaction was
received;
receiving a request for a first connection, the request being received from the
component, the first connection being associated with a first resource;
providing a connection substantially between the first resource and the
component;
initiating the transaction as a local transaction on the first connection; and
completing the transaction.
17. A computer-implemented method as recited in claim 16 further including:
a) receiving a request for a subsequent connection, the request for the
subsequent connection being received from the component;
b) determining whether the subsequent connection is sharable;

- c) determining whether the first connection is sharable;
- d) determining whether the subsequent connection is associated with the first resource;
- e) providing the first connection as the subsequent connection when it is
- 5 determined that the subsequent connection is sharable, determined that the first connection is sharable, and determined that the subsequent connection is associated with the first resource; and
- f) sharing the local transaction when it is determined that the subsequent connection is sharable, determined that the first connection is sharable, and
- 10 determined that the subsequent connection is associated with the first resource.

18. A computer-implemented method as recited in claim 17 further including repeating steps a)-f) until it is determined that either the subsequent connection is not sharable or that the subsequent connection is not associated with the first resource.
- 15 19. A computer-implemented as recited in claim 17 wherein when it is determined that the subsequent connection is not shareable, the computer-implemented method further includes:
- 20 providing a first distinct connection as the subsequent connection; and initiating a global transaction on the distinct connection.
20. A computer-implemented method as recited in claim 19 further including:
- 25 requesting a second subsequent connection;
- determining whether the requested second subsequent connection is sharable;
- 25 determining whether the first distinct connection is sharable;
- determining whether the requested second subsequent connection shares a common resource with the first distinct connection; and
- 30 providing the first distinct connection as the second subsequent connection when it is determined that the requested second subsequent connection is sharable, determined that the first distinct connection is sharable, and determined that the requested second subsequent connection shares the common resource with the first distinct connection.

21. A computer-implemented method as recited in claim 19 wherein when it is determined that the first distinct connection and the requested second subsequent connection are sharable, the method further includes determining whether the requested second connection and the first connection are sharable, and providing the first connection as the second subsequent connection when it is determined that the requested second connection and the first connection are sharable.
22. A computer-implemented method as recited in claim 21 further including:
providing a second distinct connection with a global scope as the second subsequent connection when it is determined that either the requested second subsequent connection is not sharable, determined that the first distinct connection is not sharable, or that the requested second subsequent connection does not share the common resource with the first distinct connection, or that the requested second subsequent connection and the first connection do not share a common resource .
23. A computer-implemented method as recited in claim 19 further including:
receiving a request from the component to complete the transaction;
completing the transaction using a last resource 2-phase commit optimization to globally finish both the global transaction and the local transaction.
24. A computer-implemented method as recited in claim 17 wherein when it is determined that either the subsequent connection is not shareable, the first connection is not sharable, or that the subsequent connection is not associated with the first resource, the computer-implemented method further includes:
providing a first distinct connection as the subsequent connection; and
initiating a global transaction on the distinct connection.
25. An enterprise computing environment comprising:
a first resource;
a component; and
a container, wherein the component is contained in the container, the container being arranged to receive a request from the component to start a transaction which includes the first resource, the container further being arranged to store information

which indicates that the request to start the transaction was received, to access the first resource, to initiate the transaction as a local transaction on the first resource, and to complete the transaction.

- 5 26. An enterprise computing environment according to claim 25 wherein the container is arranged to complete the transaction using a local transaction mechanism of the first resource manager.

- 10 27. An enterprise computing environment according to claim 25 wherein the container is further arranged to initiate a global transaction after initiating the transaction as the local transaction, and to complete both the local transaction and the global transaction substantially atomically using a local resource 2-phase commit optimization.

- 15 28. An enterprise computing environment according to claim 25 wherein the enterprise computing environment is a Java 2 Enterprise Environment, and the component is an Enterprise Java Bean.

- 20 29. An enterprise environment associated with a computing system, the enterprise environment comprising:

a resource;

a component; and

- 25 a container, the component being contained within the component, wherein the container is arranged to receive a first request for a first connection between the component and the resource, to provide the first connection between the component and the resource, to receive a second request for a connection associated with the component, to determine whether the first connection is sharable, to provide the first connection in response to the second request when it is determined that the first connection is sharable, and to provide a second connection in response to the second
30 request when it is determined that the first connection is not sharable.

30. An enterprise environment according to claim 29 wherein the container is further arranged to receive a subsequent request for a subsequent connection

associated with the component, to determine whether the first connection is sharable, and to provide the first connection in response to the subsequent request when it is determined that the first connection is sharable.

- 5 31. An enterprise environment according to claim 30 wherein the container is further arrange to determine whether the second connection is sharable, and to provide the second connection in response to the subsequent request when it is determined that the second connection is sharable.
- 10 32. An enterprise computing environment comprising:
a first resource;
a component; and
a container, the container being arranged to receive a request from the component to start a transaction, to store information which indicates that the request
15 to start the transaction was received, to receive a request from the component for a first connection to the a first resource, to providing a connection substantially between the first resource and the component, to initiate the transaction as a local transaction on the first connection, and to complete the transaction.
- 20 33. An enterprise computing environment according to claim 32 wherein the container is further arranged to receive a request from the component for a subsequent connection, to determine whether the subsequent connection is sharable, to determine whether the first connection is sharable, to determine whether the subsequent connection is associated with the first resource, to provide the first connection as the
25 subsequent connection when it is determined that the subsequent connection is sharable, determined that the first connection is sharable, and determined that the subsequent connection is associated with the first resource, and to share the local transaction when it is determined that the subsequent connection is sharable, determined that the first connection is sharable, and determined that the subsequent
30 connection is associated with the first resource.

34. An enterprise environment according to claim 33 wherein the container is arranged to provide a first distinct connection as the subsequent connection and to

initiate a global transaction on the distinct connection when it is determined that either the subsequent connection is not shareable, the first connection is not sharable, or that the subsequent connection is not associated with the first resource.

- 5 35. A computer program product for processing a transaction in an enterprise environment, the computer program product comprising:
- computer code for receiving a request to start the transaction;
 - computer code for storing information which indicates that the request to start the transaction was received;
- 10 computer code for accessing a first resource manager associated with the transaction;
- computer code for initiating the transaction as a local transaction on the first resource manager;
 - computer completing the transaction; and
- 15 a computer-readable medium that stores the computer codes.
36. A computer program product as recited in claim 35 wherein the computer code for completing the transaction includes computer code for using a local transaction mechanism of the first resource manager.
- 20 37. A computer program product as recited in claim 35 further including:
- computer code for initiating a global transaction after initiating the transaction as the local transaction; and
 - computer code for completing both the local transaction and the global
- 25 transaction substantially atomically using a local resource 2-phase commit optimization.
38. A computer program product as recited in claim 37 wherein computer code for completing both the local transaction and the global transaction substantially
- 30 atomically includes computer code for using the local transaction as a last resource in the local resource 2-phase commit optimization.

39. A computer program product as recited in claim 37 further including computer code for lazily determining whether to initiate the global transaction.
40. A computer program product as recited in claim 35 wherein the computer-readable medium is one selected from the group consisting of a data signal embodied in a carrier wave, a hard disk, a floppy disk, a tape, an optical disk, a CD-ROM, and a computer memory.
41. A computer program product for implementing connections in an enterprise environment, the computer program product comprising:
computer code for receiving a first request for a first connection between a component and a resource;
computer code for providing the first connection between the component and the resource;
computer code for receiving a second request for a connection associated with the component;
computer code for determining whether the first connection is sharable;
computer code for providing the first connection in response to the second request when it is determined that the first connection is sharable;
computer code for providing a second connection in response to the second request when it is determined that the first connection is not sharable; and
a computer-readable medium that stores the computer codes.
42. A computer readable medium as recited in claim 41 further including:
computer code for receiving a subsequent request for a subsequent connection associated with the component;
computer code for determining whether the first connection is sharable; and
computer code for providing the first connection in response to the subsequent request when it is determined that the first connection is sharable.
43. A computer readable medium as recited in claim 42 further including:
computer code for determining whether the second connection is sharable; and

computer code for providing the second connection in response to the subsequent request when it is determined that the second connection is sharable.

44. A computer readable medium as recited in claim 42 further including:

5 computer code for receiving a deployment hint from an application, the application being arranged to substantially communicate with the component, wherein the deployment hint is arranged to indicate whether at least one connection is sharable, and wherein the computer code for determining whether the first connection is sharable includes computer code for using the deployment hint.

10

45. A computer program product as recited in claim 41 wherein the computer-readable medium is one selected from the group consisting of a data signal embodied in a carrier wave, a hard disk, a floppy disk, a tape, an optical disk, a CD-ROM, and a computer memory.

15

46. A computer program product for processing a transaction in an enterprise environment, the computer program product comprising:

computer code for receiving a request to start the transaction, the request being received from a component;

20

computer code for storing information which indicates that the request to start the transaction was received;

computer code for receiving a request for a first connection, the request being received from the component, the first connection being associated with a first resource;

25

computer code for providing a connection substantially between the first resource and the component;

computer code for initiating the transaction as a local transaction on the first connection;

30

computer code for completing the transaction; and

a computer-readable medium that stores the computer codes.

47. A computer program product as recited in claim 46 further including:

computer code for receiving a request for a subsequent connection, the request for the subsequent connection being received from the component;

computer code for determining whether the subsequent connection is sharable;

computer code for determining whether the first connection is sharable;

5 computer code for determining whether the subsequent connection is associated with the first resource;

computer code for providing the first connection as the subsequent connection when it is determined that the subsequent connection is sharable, determined that the first connection is sharable, and determined that the subsequent connection is

10 associated with the first resource; and

computer code for sharing the local transaction when it is determined that the subsequent connection is sharable, determined that the first connection is sharable, and determined that the subsequent connection is associated with the first resource.

48. A computer program product as recited in claim 47 further including:

computer code for providing a first distinct connection as the subsequent connection when it is determined that the subsequent connection is not shareable; and

computer code for initiating a global transaction on the distinct connection when it is determined that the subsequent connection is not shareable.

20

49. A computer program product as recited in claim 48 further including:

computer code for requesting a second subsequent connection;

computer code for determining whether the requested second subsequent connection is sharable;

25 computer code for determining whether the first distinct connection is sharable;

computer code for determining whether the requested second subsequent connection shares a common resource with the first distinct connection; and

30 computer code for providing the first distinct connection as the second subsequent connection when it is determined that the requested second subsequent connection is sharable, determined that the first distinct connection is sharable, and determined that the requested second subsequent connection shares the common resource with the first distinct connection.

50. A computer program product as recited in claim 47 wherein the computer-readable medium is one selected from the group consisting of a data signal embodied in a carrier wave, a hard disk, a floppy disk, a tape, an optical disk, a CD-ROM, and a
5 computer memory.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000